



XIS-1517 **DV 320kV**



GENERAL SPECIFICATIONS

· Tunnel Size: 152.4 cm x 170.2 cm (W x H) 60.0" x 67.0" $1116.4 \text{ cm} \times 281.3 \text{ cm} \times 304.8 \text{ cm}$ · Dimensions²:

 $(L \times W \times H)$ 440.0" x 110.7" x 120.0" Shipping Dimensions²:

 $315.0 \text{ cm} \times 152.4 \text{ cm} \times 254.0 \text{ cm}$ 124.0" x 60.0" x 100.0" 228.6 cm x 152.4 cm x 254.0 cm

90.0" x 60.0" x 100.0" 228.6 cm x 152.4 cm x 101.6 cm 1x

90.0" x 60.0" x 40.0" 3x 304.8 cm x 127.0 cm x 254,0 cm

120.0" x 50.0" x 100.0" 4x 228.6 cm x 154.9 cm x 254.0 cm 90.0" x 65.0" x 100.0"

228.6 cm x 213.4 cm x 139.7 cm 90.0" x 84.0" x 55.0"

16000 kg (35275 lbs) 20000 kg (44095 lbs)

20 cm/s (40 ft or 12m/min) Forward or Reverse

35.5 cm (14.0") from Floor

· Roller Bed Capacity: 2000 kg (4409 lbs) Evenly Distributed Load



· Net Weight:

· Shipping Weight?:

· Roller Bed Speed:

· Roller Bed Height:

 $(L \times W \times H)$

40 AWG Typical, 38 AWG Standard Wire Resolution: · Spatial Resolution: 1.3 mm Horizontal, 1.3 mm Vertical · Steel Penetration: 80 mm Typical, 75 mm Standard 24 Visible Levels, 4096 Gray Level Contrast Sensitivity: · Film Safety: Guaranteed up to ISO 1600 (33DIN)

X-RAY GENERATOR Dual 320kV Voltage: Dual 7.0 mA · Tube Current Integrated Cooler Unit with Forced Air Cooling:
 Beam Direction: Horizontally Sideward, Vertically Downward · Detector: 4480 Channels in an L-Shaped Array

COMPUTER

Intel® Core i5 · Processor: 4 GB RAM · Memory: 500 GB HDD, 120 GB SSD Storage: · Video Card: 1 GB Video Card · Platform: Windows® OS Uninterruptible Power Supply · Backup:

VIDEO

Dual 24" LCD Color Monitors · Display Type: 1600 x 1200; 24 Bit/Pixel Color · Display Resolution:

ENVIRONMENTAL

0°C - 40°C \ 32°F - 104°F · Operating Temperature: -20°C - 60°C \ -4°F - 140°F · Storage Temperature: Up to 95% Non-Condensing · Humidity:


ELECTRICAL

220VAC ± 10%, 50/60Hz, 100 Amp Max Power Requirements:

HEALTH AND SAFETY

· Compliant with USFDA, Center for Devices and Radiation Health Standards for Cabinet X-Ray Systems (21-CFR 1020.40)

· Typical radiation leakage is less than 0.1 mR/hr (Leakage less than 0.5 mR/hr permitted by the Federal Standard)



STANDARD FEATURES

- 6 Color Imaging9 Quadrant Zoom
- · Atomic Z-Number Measurement
- Auto Image Archiving (150,000)
- Baggage Counter
- Color and Black/ White Imaging
- · Continuous Scannina
- Continuous Zoom up to 64x
- · Vertical Zoom Panning
- Geometric Image Distortion Correction
- · High Penetration Function · Heavy Duty Roller Casters
- · Image Annotation
- · Image Review

- JPEG Conversion · Material Discrimination
- · Multi-Tier Accessibility
- · Network Ready
- · Organic/Inorganic Imaging
- · Operator Training Program (OTP)
- · Picture Perfect
- · Print Image Capable
- · Pseudo Color
- · Real-Time Image Manipulation
- · Real-Time Self Diagnostics · Reverse Monochrome
- · Save Image (RGB)

OPTIONAL FEATURES³

- Conveyor Capacity 3000 kg (6614 lbs) Evenly Distributed Load
- · Custom Paint
- · Density Alert
- · Entry/ Exit Rollers
- Footmat Operator Interlock
- · Image Analysis Program (IAP)
- · Local Language Support
- · Polar Kit
- · Radiation Meter
- · Screener Assist Software
- · Threat Image Protection (TIP) Software
- Tropical Kit
- · Wireless Barcode Scanning







Havenweg 16, 6603 AS Wijchen



(Computer Operation - 20 Minute)

Weight and dimensions of the system may vary depending a

and features may affect lead time price, and weight of XIS-1517DV 320kV. Please contact your Astrophysics Sales Representative for more information.

PEO B.V. info@gotopeo.com www.gotopeo.com The Netherlands

+31 (0)24 648 86 88

Belgium

+32 (0)3 309 32 09

Watermolenstraat 2, B-2910 Essen

CoC 34107894 VAT NL807859151B01 IBAN NL29 RABO 0356 1960 46 **BIC RABONL2U**







XIS-1517DV 320kV

Highest Penetration on the Market Dual View Security: Pallet and Cargo Inspection





TRANSPORTATION

Airport entrances and perimeters, air cargo, and checkpoint technology.



PORTS & BORDERS

Border control, sea ports, and other large cargo sectors.



CRITICAL INFRASTRUCTURE

Access control for prisons, courthouses, mailrooms, hotel entrances and military bases. The XIS-1517DV 320kV is an advanced X-Ray Inspection System with a tunnel opening of 152.4 cm x 170.2 cm (60.0" x 67.0"). The XIS-1517DV 320kV utilizes both dual view technology and high powered generators for improved image screening and increased penetration. The XIS-1517DV 320kV was specifically designed for in-depth screening clarity of customs and military cargo.

The XIS-1517DV 320kV has a low conveyor height of just 35.6 cm (140") and can support 2000 kg (4409 lbs) of cargo without compromising throughput speed, adding to the efficiency and security of any facility or transport hub. The XIS-1517DV 320kV is a quality XIS unit that offers the most cutting edge technology in cargo security.

All Astrophysics X-ray Inspection Systems are equipped with Real-Time Diagnostics, a unique Astrophysics feature which allows users to monitor system health. This software was specifically engineered to save you valuable time and money. If requested, Astrophysics would also be able to connect to your system and troubleshoot any issues remotely.

An exclusive Astrophysics option is our 6 Color Imaging, which enables operators to view screened objects in 6 colors, each color correlating to a specific range of Atomic Z-Numbers. 6 Color Imaging enables operators to achieve optimal material identification which improves throughputs.

Astrophysics is committed to providing quality products and services nationwide. We listen to our customers and offer customizations and order flexibility based on their needs.

Backed by a team of engineers from our City of Industry, California center of excellence headquarters, Astrophysics designs cutting-edge X-ray screening technology for detecting weapons and contraband for transportation, ports, borders, critical infrastructure and other industries that present security risks.

Astrophysics is headquartered in the United States and maintains a global presence with service delivery worldwide. Astrophysics is committed to global safety and is proud to present this new age of screening security—driving the industry into the technology of tomorrow.



PEO B.V.

